

UNIFIED DROP ANGLE KITS




Beam Hanger

- Rated Load 2,000lbs (908kg)
- Beam Hanger sold separately
- Drop Angle Lengths 1'-2" (355mm) to 6'-0" (1829mm) require a cable hole
- Drop Angle Lengths 2'-0" (610mm) to 6'-0" (1829mm) require knee braces in both directions
- Knee Bracing by others
- Drops of 8" (203mm) to 11" (280mm) Consult Engineering



Adjustable Hanger

- Rated Load 1,500lbs (680kg)
- Adjustable Hanger sold separately
- Drop Angle Lengths 1'-2" (355mm) to 6'-0" (1829mm) require a cable hole
- Drop Angle Lengths 2'-0" (610mm) to 6'-0" (1829mm) require knee braces in both directions
- Knee Bracing by others
- Drops of 8" (203mm) to 11" (280mm) Consult Engineering




NOTE:
RATED LOAD 2000 LBS [907 Kg].

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-4 STACKUP	
28700	75101	1'-0"	305mm	1'-3 5/16"	389mm
		1'-1"	330mm	1'-4 5/16"	414mm
		1'-2"	356mm	1'-5 5/16"	440mm
		1'-3"	381mm	1'-6 5/16"	465mm
		1'-4"	406mm	1'-7 5/16"	491mm
		1'-5"	432mm	1'-8 5/16"	516mm
		1'-6"	457mm	1'-9 5/16"	542mm
		1'-7"	483mm	1'-10 5/16"	567mm
		1'-8"	508mm	1'-11 5/16"	593mm
		1'-9"	533mm	2'-0 5/16"	618mm
		1'-10"	559mm	2'-1 5/16"	643mm
		1'-11"	584mm	2'-2 5/16"	668mm
28701	75102	2'-0"	610mm	2'-3 5/16"	694mm
		2'-1"	635mm	2'-4 5/16"	719mm
		2'-2"	660mm	2'-5 5/16"	745mm
		2'-3"	686mm	2'-6 5/16"	770mm
		2'-4"	711mm	2'-7 5/16"	795mm
		2'-5"	737mm	2'-8 5/16"	821mm
		2'-6"	762mm	2'-9 5/16"	846mm
		2'-7"	787mm	2'-10 5/16"	872mm
		2'-8"	813mm	2'-11 5/16"	897mm
		2'-9"	838mm	3'-0 5/16"	922mm
		2'-10"	864mm	3'-1 5/16"	948mm
		2'-11"	889mm	3'-2 5/16"	973mm
28702	75103	3'-0"	914mm	3'-3 5/16"	999mm
		3'-1"	940mm	3'-4 5/16"	1024mm
		3'-2"	965mm	3'-5 5/16"	1049mm
		3'-3"	991mm	3'-6 5/16"	1075mm
		3'-4"	1016mm	3'-7 5/16"	1100mm
		3'-5"	1041mm	3'-8 5/16"	1126mm
		3'-6"	1067mm	3'-9 5/16"	1151mm

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-4 STACKUP	
28702	75103	3'-7"	1092mm	3'-10 5/16"	1176mm
		3'-8"	1118mm	3'-11 5/16"	1202mm
		3'-9"	1143mm	4'-0 5/16"	1227mm
		3'-10"	1168mm	4'-1 5/16"	1253mm
		3'-11"	1194mm	4'-2 5/16"	1278mm
		4'-0"	1219mm	4'-3 5/16"	1303mm
28703	75104	4'-1"	1245mm	4'-4 5/16"	1329mm
		4'-2"	1270mm	4'-5 5/16"	1354mm
		4'-3"	1295mm	4'-6 5/16"	1380mm
		4'-4"	1321mm	4'-7 5/16"	1405mm
		4'-5"	1346mm	4'-8 5/16"	1430mm
		4'-6"	1372mm	4'-9 5/16"	1456mm
		4'-7"	1397mm	4'-10 5/16"	1481mm
		4'-8"	1422mm	4'-11 5/16"	1507mm
		4'-9"	1448mm	5'-0 5/16"	1532mm
		4'-10"	1473mm	5'-1 5/16"	1557mm
		4'-11"	1499mm	5'-2 5/16"	1583mm
		5'-0"	1524mm	5'-3 5/16"	1608mm
28704	75105	5'-1"	1549mm	5'-4 5/16"	1634mm
		5'-2"	1575mm	5'-5 5/16"	1659mm
		5'-3"	1600mm	5'-6 5/16"	1684mm
		5'-4"	1626mm	5'-7 5/16"	1708mm
		5'-5"	1651mm	5'-8 5/16"	1735mm
		5'-6"	1676mm	5'-9 5/16"	1761mm
		5'-7"	1702mm	5'-10 5/16"	1786mm
		5'-8"	1727mm	5'-11 5/16"	1811mm
		5'-9"	1753mm	6'-0 5/16"	1837mm
		5'-10"	1778mm	6'-1 5/16"	1862mm
		5'-11"	1803mm	6'-2 5/16"	1888mm
		6'-0"	1829mm	6'-3 5/16"	1913mm

*Beam Hanger with safety cable sold separately



NOTES:
 RATED LOAD 1500 LBS [680 Kg].

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-4 STACKUP	
		Drop Length	Drop Length	Drop Length	Drop Length
28710	75111	9"	229mm	1'-0 5/16"	313mm
		10"	254mm	1'-1 5/16"	338mm
		11"	279mm	1'-2 5/16"	364mm
28711	75112	1'-0"	305mm	1'-3 5/16"	389mm
		1'-1"	330mm	1'-4 5/16"	414mm
		1'-2"	356mm	1'-5 5/16"	440mm
		1'-3"	381mm	1'-6 5/16"	465mm
		1'-4"	406mm	1'-7 5/16"	491mm
		1'-5"	432mm	1'-8 5/16"	516mm
		1'-6"	457mm	1'-9 5/16"	542mm
		1'-7"	483mm	1'-10 5/16"	567mm
		1'-8"	508mm	1'-11 5/16"	593mm
		1'-9"	533mm	2'-0 5/16"	618mm
		1'-10"	559mm	2'-1 5/16"	643mm
		1'-11"	584mm	2'-2 5/16"	668mm
		2'-0"	610mm	2'-3 5/16"	694mm
		2'-1"	635mm	2'-4 5/16"	719mm
		2'-2"	660mm	2'-5 5/16"	745mm
		2'-3"	686mm	2'-6 5/16"	770mm
		2'-4"	711mm	2'-7 5/16"	795mm
		28712	75113	2'-5"	737mm
2'-6"	762mm			2'-9 5/16"	846mm
2'-7"	787mm			2'-10 5/16"	872mm
2'-8"	813mm			2'-11 5/16"	897mm
2'-9"	838mm			3'-0 5/16"	922mm
2'-10"	864mm			3'-1 5/16"	948mm
2'-11"	889mm			3'-2 5/16"	973mm
3'-0"	914mm			3'-3 5/16"	999mm
3'-1"	940mm			3'-4 5/16"	1024mm
3'-2"	965mm			3'-5 5/16"	1049mm
28713	75114			3'-3"	991mm
		3'-4"	1016mm	3'-7 5/16"	1100mm

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-4 STACKUP	
		Drop Length	Drop Length	Drop Length	Drop Length
28713	75114	3'-5"	1041mm	3'-8 5/16"	1126mm
		3'-6"	1067mm	3'-9 5/16"	1151mm
		3'-7"	1092mm	3'-10 5/16"	1176mm
		3'-8"	1118mm	3'-11 5/16"	1202mm
		3'-9"	1143mm	4'-0 5/16"	1227mm
		3'-10"	1168mm	4'-1 5/16"	1253mm
		3'-11"	1194mm	4'-2 5/16"	1278mm
		4'-0"	1219mm	4'-3 5/16"	1303mm
		4'-1"	1245mm	4'-4 5/16"	1329mm
		4'-2"	1270mm	4'-5 5/16"	1354mm
28714	75115	4'-3"	1295mm	4'-6 5/16"	1380mm
		4'-4"	1321mm	4'-7 5/16"	1405mm
		4'-5"	1346mm	4'-8 5/16"	1430mm
		4'-6"	1372mm	4'-9 5/16"	1456mm
		4'-7"	1397mm	4'-10 5/16"	1481mm
		4'-8"	1422mm	4'-11 5/16"	1507mm
		4'-9"	1448mm	5'-0 5/16"	1532mm
		4'-10"	1473mm	5'-1 5/16"	1557mm
		4'-11"	1499mm	5'-2 5/16"	1583mm
		5'-0"	1524mm	5'-3 5/16"	1608mm
28715	75116	5'-1"	1549mm	5'-4 5/16"	1634mm
		5'-2"	1575mm	5'-5 5/16"	1659mm
		5'-3"	1600mm	5'-6 5/16"	1684mm
		5'-4"	1626mm	5'-7 5/16"	1708mm
		5'-5"	1651mm	5'-8 5/16"	1735mm
		5'-6"	1676mm	5'-9 5/16"	1761mm
		5'-7"	1702mm	5'-10 5/16"	1786mm
		5'-8"	1727mm	5'-11 5/16"	1811mm
		5'-9"	1753mm	6'-0 5/16"	1837mm
		5'-10"	1778mm	6'-1 5/16"	1862mm
5'-11"	1803mm	6'-2 5/16"	1888mm		
6'-0"	1829mm	6'-3 5/16"	1913mm		

*Adjustable Hanger with safety cable sold separately

UNIFIED DROP ANGLE KITS




Beam Hanger

- Rated Load 2,000lbs (908kg)
- Beam Hanger sold separately
- Drop Angle Lengths 1'-2" (355mm) to 6'-0" (1829mm) require a cable hole
- Drop Angle Lengths 2'-0" (610mm) to 6'-0" (1829mm) require knee braces in both directions
- Knee Bracing by others
- Drops of 8" (203mm) to 11" (280mm) Consult Engineering



Adjustable Hanger

- Rated Load 1,500lbs (680kg)
- Adjustable Hanger sold separately
- Drop Angle Lengths 1'-2" (355mm) to 6'-0" (1829mm) require a cable hole
- Drop Angle Lengths 2'-0" (610mm) to 6'-0" (1829mm) require knee braces in both directions
- Knee Bracing by others
- Drops of 8" (203mm) to 11" (280mm) Consult Engineering




NOTE:
RATED LOAD 2000 LBS [907 Kg].

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-5 STACKUP	
28700	75101	1'-0"	305mm	1'-4 7/16"	418mm
		1'-1"	330mm	1'-5 7/16"	443mm
		1'-2"	356mm	1'-6 7/16"	468mm
		1'-3"	381mm	1'-7 7/16"	494mm
		1'-4"	406mm	1'-8 7/16"	519mm
		1'-5"	432mm	1'-9 7/16"	545mm
		1'-6"	457mm	1'-10 7/16"	570mm
		1'-7"	483mm	1'-11 7/16"	595mm
		1'-8"	508mm	2'-0 7/16"	621mm
		1'-9"	533mm	2'-1 7/16"	646mm
		1'-10"	559mm	2'-2 7/16"	672mm
		1'-11"	584mm	2'-3 7/16"	697mm
		28701	75102	2'-0"	610mm
2'-1"	635mm			2'-5 7/16"	748mm
2'-2"	660mm			2'-6 7/16"	773mm
2'-3"	686mm			2'-7 7/16"	799mm
2'-4"	711mm			2'-8 7/16"	824mm
2'-5"	737mm			2'-9 7/16"	849mm
2'-6"	762mm			2'-10 7/16"	875mm
2'-7"	787mm			2'-11 7/16"	900mm
2'-8"	813mm			3'-0 7/16"	926mm
2'-9"	838mm			3'-1 7/16"	951mm
2'-10"	864mm			3'-2 7/16"	976mm
2'-11"	889mm			3'-3 7/16"	1002mm
28702	75103			3'-0"	914mm
		3'-1"	940mm	3'-5 7/16"	1053mm
		3'-2"	965mm	3'-6 7/16"	1078mm
		3'-3"	991mm	3'-7 7/16"	1103mm
		3'-4"	1016mm	3'-8 7/16"	1129mm
		3'-5"	1041mm	3'-9 7/16"	1154mm
		3'-6"	1067mm	3'-10 7/16"	1180mm

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-5 STACKUP	
28702	75103	3'-7"	1092mm	3'-11 7/16"	1205mm
		3'-8"	1118mm	4'-0 7/16"	1230mm
		3'-9"	1143mm	4'-1 7/16"	1256mm
		3'-10"	1168mm	4'-2 7/16"	1281mm
		3'-11"	1194mm	4'-3 7/16"	1307mm
28703	75104	4'-0"	1219mm	4'-4 7/16"	1332mm
		4'-1"	1245mm	4'-5 7/16"	1357mm
		4'-2"	1270mm	4'-6 7/16"	1383mm
		4'-3"	1295mm	4'-7 7/16"	1408mm
		4'-4"	1321mm	4'-8 7/16"	1434mm
		4'-5"	1346mm	4'-9 7/16"	1459mm
		4'-6"	1372mm	4'-10 7/16"	1484mm
		4'-7"	1397mm	4'-11 7/16"	1508mm
		4'-8"	1422mm	5'-0 7/16"	1535mm
		4'-9"	1448mm	5'-1 7/16"	1561mm
		4'-10"	1473mm	5'-2 7/16"	1586mm
28704	75105	4'-11"	1499mm	5'-3 7/16"	1611mm
		5'-0"	1524mm	5'-4 7/16"	1637mm
		5'-1"	1549mm	5'-5 7/16"	1662mm
		5'-2"	1575mm	5'-6 7/16"	1688mm
		5'-3"	1600mm	5'-7 7/16"	1713mm
		5'-4"	1626mm	5'-8 7/16"	1738mm
		5'-5"	1651mm	5'-9 7/16"	1764mm
		5'-6"	1676mm	5'-10 7/16"	1789mm
		5'-7"	1702mm	5'-11 7/16"	1815mm
		5'-8"	1727mm	6'-0 7/16"	1840mm
		5'-9"	1753mm	6'-1 7/16"	1865mm
5'-10"	1778mm	6'-2 7/16"	1891mm		
5'-11"	1803mm	6'-3 7/16"	1916mm		
6'-0"	1829mm	6'-4 7/16"	1942mm		

*Beam Hanger with safety cable sold separately



NOTES:
RATED LOAD 1500 LBS [680 Kg].

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-5 STACKUP			
		Drop Length	Drop Length	ETA-5 Stackup	ETA-5 Stackup		
28710	75111	9°	229mm	1'-1 7/16"	341mm		
		10°	254mm	1'-2 7/16"	367mm		
		11°	279mm	1'-3 7/16"	392mm		
		1'-0"	305mm	1'-4 7/16"	418mm		
28711	75112	1'-1"	330mm	1'-5 7/16"	443mm		
		1'-2"	356mm	1'-6 7/16"	468mm		
		1'-3"	381mm	1'-7 7/16"	494mm		
		1'-4"	406mm	1'-8 7/16"	519mm		
		1'-5"	432mm	1'-9 7/16"	545mm		
		1'-6"	457mm	1'-10 7/16"	570mm		
		1'-7"	483mm	1'-11 7/16"	595mm		
		1'-8"	508mm	2'-0 7/16"	621mm		
		1'-9"	533mm	2'-1 7/16"	646mm		
		1'-10"	559mm	2'-2 7/16"	672mm		
		1'-11"	584mm	2'-3 7/16"	697mm		
		2'-0"	610mm	2'-4 7/16"	722mm		
		28712	75113	2'-1"	635mm	2'-5 7/16"	748mm
				2'-2"	660mm	2'-6 7/16"	773mm
2'-3"	686mm			2'-7 7/16"	799mm		
2'-4"	711mm			2'-8 7/16"	824mm		
2'-5"	737mm			2'-9 7/16"	849mm		
2'-6"	762mm			2'-10 7/16"	875mm		
2'-7"	787mm			2'-11 7/16"	900mm		
2'-8"	813mm			3'-0 7/16"	926mm		
2'-9"	838mm			3'-1 7/16"	951mm		
2'-10"	864mm			3'-2 7/16"	976mm		
2'-11"	889mm			3'-3 7/16"	1002mm		
3'-0"	914mm			3'-4 7/16"	1027mm		
28713	75114			3'-1"	940mm	3'-5 7/16"	1053mm
				3'-2"	965mm	3'-6 7/16"	1078mm
		3'-3"	991mm	3'-7 7/16"	1103mm		
		3'-4"	1016mm	3'-8 7/16"	1129mm		

KIT PART #	DROP ANGLE PART #	DROP LENGTH		ETA-5 STACKUP	
		Drop Length	Drop Length	ETA-5 Stackup	ETA-5 Stackup
28713	75114	3'-5"	1041mm	3'-9 7/16"	1154mm
		3'-6"	1067mm	3'-10 7/16"	1180mm
		3'-7"	1092mm	3'-11 7/16"	1205mm
		3'-8"	1118mm	4'-0 7/16"	1230mm
		3'-9"	1143mm	4'-1 7/16"	1256mm
		3'-10"	1168mm	4'-2 7/16"	1281mm
		3'-11"	1194mm	4'-3 7/16"	1307mm
		4'-0"	1219mm	4'-4 7/16"	1332mm
		4'-1"	1245mm	4'-5 7/16"	1357mm
		4'-2"	1270mm	4'-6 7/16"	1383mm
28714	75115	4'-3"	1295mm	4'-7 7/16"	1408mm
		4'-4"	1321mm	4'-8 7/16"	1434mm
		4'-5"	1346mm	4'-9 7/16"	1459mm
		4'-6"	1372mm	4'-10 7/16"	1484mm
		4'-7"	1397mm	4'-11 7/16"	1508mm
		4'-8"	1422mm	5'-0 7/16"	1535mm
		4'-9"	1448mm	5'-1 7/16"	1561mm
		4'-10"	1473mm	5'-2 7/16"	1586mm
		4'-11"	1499mm	5'-3 7/16"	1611mm
		5'-0"	1524mm	5'-4 7/16"	1637mm
28715	75116	5'-1"	1549mm	5'-5 7/16"	1662mm
		5'-2"	1575mm	5'-6 7/16"	1688mm
		5'-3"	1600mm	5'-7 7/16"	1713mm
		5'-4"	1626mm	5'-8 7/16"	1738mm
		5'-5"	1651mm	5'-9 7/16"	1764mm
		5'-6"	1676mm	5'-10 7/16"	1789mm
		5'-7"	1702mm	5'-11 7/16"	1815mm
		5'-8"	1727mm	6'-0 7/16"	1840mm
		5'-9"	1753mm	6'-1 7/16"	1865mm
		5'-10"	1778mm	6'-2 7/16"	1891mm
5'-11"	1803mm	6'-3 7/16"	1916mm		
6'-0"	1829mm	6'-4 7/16"	1942mm		

* Adjustable Hanger with safety cable sold separately